



# Spin BeFree

As manoeuvrable as a mop. Superior performance.

**Cleaning Excellence**  
Trusted Swiss Quality




# Spin BeFree

## The revolution in miniature

With the Spin BeFree, cleaning staff benefit from a unique combination of performance, efficiency and ergonomics in the form of a micro scrubber. From smooth surfaces to textured tiles with joints, the machine ensures excellent cleaning, even in tight spaces. Its operation is also impressive: once you have used the Spin BeFree, you will never want to use another machine again. With its newly developed ergo handle, the Spin BeFree relieves strain on the shoulders and back. The integrated forward movement takes over the drive, making guidance effortless and controlled. Operation is easy to understand – ideal for changing staff.

1440 m <sup>2</sup> /h	Area performance theoretical
20,5 kg	Total weight
80 min.	Maximum operating time (7,5 Ah)
360 W	Overall performance



### Ergonomic cleaning

Thanks to the ergo grip and its forward-driving motion, Spin BeFree noticeably reduces strain on the back, wrists, and shoulders – making fatigue-free cleaning a reality.



### Outstanding cleaning performance

Spin BeFree delivers exceptionally strong cleaning results thanks to proven brush and pad technology – even on stubborn dirt.



### Intelligent waterfeed

Three water levels and an integrated feed pump ensure consistent cleaning performance, regardless of the tank level. Saves water and chemicals and makes cleaning more effective and sustainable.



### Hygienic handling

The machine is particularly easy to clean, with tanks that can be 100% manually washed – ensuring maximum hygiene in everyday use.



### Robust Swiss engineering

Developed in Switzerland and built for professional cleaning routines: Spin BeFree impresses with its rugged design, long-lasting technology, and reliable performance – day after day.



### Optimised for storage and transport

Their compact design and clear shape enable space-saving storage – ideal for locations where every centimetre counts.



### Compatible with Granuline

Thanks to its compatibility with Granufloor 2 I, Spin BeFree achieves even higher cleaning performance. The cleaning agent is optimally matched to the tank size and produces minimal foam.



### Compatible with Wetrok battery system

The batteries offer flexible replacement options and are compatible with other Wetrok devices. The charger has a fast-charging function.



# Made for the everyday life of professionals

Ready for action wherever, whenever

From patient rooms to open-plan offices: the Spin BeFree impresses in a wide range of applications. Developed to meet the demands of everyday cleaning, it supports specialist staff with its powerful cleaning performance. The scrubber-dryer offers unrestricted freedom of movement, providing noticeable relief and satisfied employees.



### Areas with hygiene requirements

In hygiene-critical areas, cleaning quality, control and physical relief are key. The Spin BeFree enables thorough cleaning along beds, in patient rooms or narrow wet rooms. Its cleaning-friendly design and HEPA 13 filter reduce the risk of cross-contamination.



### Winding and narrow areas

In small shops, petrol stations or other busy retail areas, every minute counts. The Spin BeFree reliably cleans tile and plastic surfaces, fits into narrow aisles and leaves surfaces immediately walkable without any drying time. Ideal for areas that are subject to heavy daily use.



### High-traffic areas with high cleaning requirements

When hundreds of people use corridors, classrooms and sanitary facilities every day, the demands on cleaning teams increase. The Spin BeFree helps to keep busy zones reliably clean. The machine also thoroughly removes salt and dirt in winter.

# Ergonomic benefit proven and measurable

For health in everyday life

- Shoulder- and back-friendly
- Self-drive
- Easy maintenance
- Tested by experts

### Why ergonomics matters:

- Sick leave and absenteeism are significantly higher in the cleaning industry.
- In 2024, the sickness rate in Germany's cleaning industry was 7.4% – well above the average of 5.3%.
- Main cause of long-term absences: musculoskeletal disorders.
- Targeted ergonomic relief helps reduce absences and sustainably ease the workload for cleaning staff.

### Noticeably relieving and professionally confirmed

Ergonomics are a central focus in the development of the Spin BeFree. To ensure objective evaluation, Wetrok had the machine assessed by the external Institute for Holistic Facility Management. The study examined factors such as handle position, arm posture, body balance and physical strain.

The result: a measurable reduction in physical load while maintaining cleaning performance particularly in the shoulder/neck, elbow and trunk areas. Assessments based on RULA and REBA confirm: the Spin BeFree offers ergonomic improvements compared to comparable cleaning machines.



### Ergonomic advantages of the Spin BeFree

- **Handle design** supports flexible hand positioning and relieves strain on the wrist.
- A correctly **adjusted height** reduces the risk of excessive trunk bending and raised shoulders (shoulder elevation)
- **Mobility:** With a foot-operated pedal, the machine can be locked in an upright position.

” Overall, the Wetrok Spin BeFree is the most shoulder- and back-friendly\* solution. ”

Christian Talaga, Physiotherapist,  
Institute for Holistic Facility Management

\*Compared with similar types of mini scrubber-dryers.

**With the Spin BeFree,  
cleaning staff benefit  
from an optimum  
combination of perfor-  
mance, efficiency and  
ergonomics!**



© Copyright by Wetrok AG, 9/2025

## Technical Data

Designation	Spin BeFree
Article Number	50640
Area performance (theoretical)	1440 m <sup>2</sup> /h
Working width	37 cm
Total length	37 cm
Total width	45 cm
Total height	86 cm (without stem)
Ground clearance	11 cm
Fresh water tank	2 l
Waste water tank	2.5 l
Area / tank capacity min. water (theoretical)	600 m <sup>2</sup> (25 min.)
Area / Tank capacity max. water (theoretical)	240 m <sup>2</sup> (10 min)
Battery	2 x 18 V / 7.5 Ah
Maximum operating time	80 min. (7.5 Ah)
Maximum charging time	1.5 hr (7.5 Ah)
Number of brushes	2
Brush pressure	14.5 kg / 0.37 N/cm <sup>2</sup>
Brush speed	200–350 rpm
Brush motor power	2 x 90 W
Vacuum	115 mbar
Airflow rate	13.3 l/s
Vacuum motor performance	180 W
Drive type	Self-drive
Overall performance	360 W
Maximum noise level	70 dbA
Vibration emissions	0.4 m/s <sup>2</sup>
Splash protection	IPX4
Weight inc. water and battery	20.5 kg
Weight w/o water and w/o battery	16.6 kg
Working autonomy w. full tank Lvl 1	25 min.
Working autonomy w. full tank Lvl 2	20 min.
Working autonomy w. full tank Lvl 3	10 min.

## Batteries

41671	Li-Ion battery 18 V / 7.5 Ah <sup>1)</sup>	1 pc.
41680	Dual charger for Li-Ion batteries	1 pc.
41684	Set of 2 x 7.5 Ah batteries and charger	

## Pads

51600	Pad drive disk BeFree <sup>1)</sup>	1 pc.
52601	Scrubbing pad red	1 pc. = 5 pads
52602	Scrubbing pad green	1 pc. = 5 pads
52603	Scrubbing pad black	1 pc. = 5 pads
52109	Microsol Fibre pad	1 pc. = 5 pads
52249	Melamine pad	1 pc. = 5 pads

## Brushes

52230	Scrubbing brush PET soft <sup>1)</sup>	1 pc.
52231	Scrubbing brush PET medium <sup>1)</sup>	1 pc.
52232	Scrubbing brush PET hard <sup>1)</sup>	1 pc.

## Squeegee blades

52150	Suction lip rear NR	1 pc.
52151	Suction lip front NR	1 pc.
52152	Suction lip rear PUR	1 pc.
52153	Suction lip front PUR	1 pc.

## Filters

52140	HEPA filter Spin BeFree	1 pc.
-------	-------------------------	-------

## Accessories

18725	Granufloor 2L	1 pc. = 40 sticks
18726	Granufloor 2L	1 pc. = 400 sticks

<sup>1)</sup> 2 pcs. required per machine

NR = Natural rubber PUR = Polyurethane

**Wetrok AG** Steinackerstrasse 62, CH-8302 Kloten, info@wetrok.ch, Tel. +41 43 255 51 51

**Wetrok Austria GmbH** Deutschstrasse 19, A-1230 Wien, info@wetrok.at, Tel. +43 800 20 48 68

**Wetrok GmbH** Maybachstrasse 35, D-51381 Leverkusen, info@wetrok.de, Tel. +49 2171 398-0

**Wetrok Polska S.A.** ul. Łączyny 4, PL-02-820 Warszawa, warszawa@wetrok.pl, Tel. +48 22 331 20 50

**Wetrok AB** Landsvägen 30, SE-192 72 Sollentuna, info@wetrok.se, Tel. +46 8 444 34 00

wetrok.com

