

Wetrok

Cleaning as a system

A cleaning machine only reaches its full potential when combined with expert advice, training, service and coordinated products. What matters is not only the technology itself, but how it is integrated into your workflows.

Wetrok supports you throughout the entire lifecycle of your investment.

- ✔ **Consultation & needs analysis**

Together, we analyse the size of the area, frequency of use and degree of soiling. On this basis, we define the appropriate performance level and create a well-founded basis for decision-making.
- ✔ **Training for your staff**

Practice-oriented training supports the safe, efficient and material-appropriate use of the machines. This ensures that their full performance potential is utilised in everyday operation.
- ✔ **Service organisation & spare parts supply**

Our own service expertise and a structured spare parts supply ensure the long-term operational readiness of your Drivematic machines. Maintenance and servicing are carried out in a planned and reliable manner.
- ✔ **Coordinated chemicals & consumables**

Machine, cleaning agents and accessories are perfectly matched. This ensures reproducible cleaning results and economically stable operation.

Do you have questions about the ride-on machines? Your Wetrok field sales representative will be happy to assist you with expert advice.



wetrok.com

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, info@wetrok.ch, Tel. +41 43 255 51 51
Wetrok Austria GmbH Deutschstrasse 19, A-1230 Wien, info@wetrok.at, Tel. 0800 20 48 68
Wetrok GmbH Maybachstrasse 35, D-51381 Leverkusen, info@wetrok.de, Tel. +49 2171 398-0
Wetrok Polska S.A. ul. Łączyny 4, PL-02-820 Warszawa, warszawa@wetrok.pl, Tel. +48 22 331 20 50
Wetrok AB Landsvägen 30, SE-192 72 Sollentuna, info@wetrok.se, Tel. +46 8 444 34 00



Drivematic


Productivity without compromise. For every surface.

Delight, Delarge, Devance, Deluxe

Cleaning Excellence
Trusted Swiss Quality



© Copyright by Wetrok AG, 3/2026



The right dimension for every requirement

Professional floor cleaning places different demands on equipment. The key factors in determining the right performance level are:



Area size



Degree of soiling



Operating environment

The Drivematic ride-on scrubber-driers are systematically graded. From compact models for structured areas to high-performance machines for very large spaces, the range covers a wide spectrum of applications.

Delight
Compact & agile



Delarge
Balanced & economical



Devance
Powerful & comfortable



Deluxe & Deluxe CB
Maximum & uncompromising



What all Drivematics have in common:



High area performance



Optimally dimensioned tank capacities



Robust construction



Intuitive operation



This results in a clearly structured machine family with defined performance levels. Each Drivematic fulfils a specific role and is consistently designed for its intended area of application.

The right Drivematic for your application profile

Productivity and operating time must match the area to be cleaned. A precisely matched performance level provides both technical and economic reliability.

The Drivematic models are systematically structured and cover a wide range of professional applications. The following overview will help you identify the most suitable model.

	Area size	Operating environment	Degree of soiling
Delight	Medium-sized areas and confined spaces	Schools, retail environments, smaller underground car parks, sports halls	●●
Delarge	Medium to large areas	Hospitals, administrative buildings, larger zones	●●
Devance	Medium to large areas	Production, logistics, workshops, shopping centres	●●●
Deluxe	Very large areas and sites	Airports, industrial parks, large complexes, multi-storey car parks	●●●●



Delight

Agile, efficient, precise

The Drivematic Delight is the compact ride-on solution for medium-sized areas and confined spaces. Its small turning radius enables precise operation in narrow passages and structured buildings. Thanks to its slim design, it is suitable for use in lifts and offers flexible deployment, often replacing walk-behind machines with significantly higher area performance.



3960 m²/h Theoretical area performance

70 l Tank capacity

66 cm Working width

up to 5,2 h Battery life

Delarge

Balanced, reliable, economical

The Drivematic Delarge is the economical ride-on solution for large areas in daily operation. It enables long, efficient cleaning runs while operating pleasantly quietly. Ideal for regular cleaning tasks in large, continuous areas – even during ongoing operations.



5040 m²/h Theoretical area performance

120 l Tank capacity

85 cm Working width

up to 7,4 h Battery life



Rapid progress

The optionally available lithium batteries in combination with the generous working width ensure efficient use. The compact design enables easy transport in the lift.



Gradients up to 12 %

When the going gets tough, the Delight remains completely relaxed: It masters gradients of up to 12 % with ease – where others have long since had to give up.



Narrow areas

Narrow spaces are the Delight's speciality. Thanks to its minimal turning circle, you can also use the ride-on machine to clean areas that were previously only suitable for hand-operated machines.



Brush change at the touch of a button

No dirt, no effort: brushes or pads can be changed automatically and effortlessly at the touch of a button.



More width, more range

With a working width of 85 cm and a 120-litre fresh water tank, the Delarge is made for large rooms and long corridors. It perfectly combines endurance and performance.



Cleaning without noise and disturbance

Thanks to its efficient noise insulation, the Delarge Pro performs its work extremely quietly. This means that it can be used during daytime operation without disruption.



Mechanical surface disinfection

With the optionally available mop holder construction for the Delarge (and Delight & Devance), you can distribute the disinfectant evenly and sparingly. This reliably kills microorganisms.



Simple operation

Thanks to the self-explanatory control panel, the machines are easy and intuitive to operate for all users.

Devance

Powerful, durable, comfortable

The Drivematic Devance is the high-performance ride-on solution for medium to large areas with high productivity requirements. It enables long, efficient cleaning operations in daily use and delivers consistently high cleaning quality. Its ergonomic equipment ensures excellent operating comfort even during extended working cycles.



5950 m²/h	Theoretical area performance
140 l	Tank capacity
85 cm	Working width
up to 7,4 h	Battery life

Deluxe & Deluxe CB

Maximum, powerful, uncompromising

The Drivematic Deluxe is the high-performance solution for very large areas with maximum productivity requirements. It enables long, powerful cleaning operations and the highest efficiency in continuous use. Designed as a disc-brush version for smooth floors, the Deluxe CB with cylindrical brush expands the range of applications by combining the collection of loose debris and wet cleaning in a single pass.



9180 m²/h	Theoretical area performance
200 l	Tank capacity
102 cm	Working width
up to 4,0 h	Battery life



cylindrical brush version available (CB)



Comfort for long operating periods

The adjustable comfort seat and the armrests on both sides ensure ergonomic, strain-relieving operation.

Strong cleaning performance

The Drivematic Devance delivers powerful cleaning performance, automatically regulated through intelligent brush pressure control, precise chemical dosing and automatic squeegee lift.

Endurance for large areas

A 140-litre fresh water tank, 85 cm working width and powerful lithium power batteries enable long cleaning operations without interruption.

Smart extras for everyday use

A spray gun and manual suction support cleanliness, while safety lights and an incline kit provide additional safety.




4x4 version for gradients of up to 20 %

The all-wheel drive version effortlessly masters gradients of up to 20 % - ideal for areas with slopes such as multi-storey car parks. Thanks to the 200-litre fresh water tank and an operating time of up to four hours, the machine is made for large areas.



Two different brush versions

The Deluxe CB performs several tasks simultaneously: it sweeps, cleans and dries in a single operation. Depending on the floor conditions, it can be used with either disc brushes or roller brushes.



Clever helpers directly on board

Make your Deluxe more versatile: with the integrated spray gun and the optional hand-held suction nozzle, you can clean hard-to-reach areas such as corners, edges or surfaces under benches - easily, precisely and thoroughly.



Safe working

LED front light, a blue light spot and the safety flashing light fitted as standard increase visibility, especially in busy environments.

Models and versions

at a glance

Model / Article Number	Delight 50092 Safety 50094 Comfort 50096 Pro 50099	Delarge 50162 Safety 50164 Comfort 50166 Pro 50169	Devance 50220 Safety 50221 Comfort 50222 Pro 50223	Deluxe 50390 Power 50393 Comfort 50396 Pro 50397	Deluxe CB 50470 Power 50471 Comfort 50472 Pro 50473																
Basic version																					
Internal charger	•	•	•	•	•																
Electric drive system	•	•	•	•	•																
Quick-Refill system	•	•	•	•	•																
Brush housing, complete	•	•	•	•	•																
Suction nozzle, complete	•	•	•	•	•																
Squeegee set	•	•	•	•	•																
Impact protector front/back			•	•	•																
Optional Extras	<i>Delight</i>	<i>Safety</i>	<i>Comfort</i>	<i>Pro</i>	<i>Delarge</i>	<i>Safety</i>	<i>Comfort</i>	<i>Pro</i>	<i>Devance</i>	<i>Safety</i>	<i>Comfort</i>	<i>Pro</i>	<i>Deluxe</i>	<i>Power</i>	<i>Comfort</i>	<i>Pro</i>	<i>Deluxe CB</i>	<i>Power</i>	<i>Comfort</i>	<i>Pro</i>	
Dosing system, complete		•	•			•	•			•	•			•	•				•	•	
Safety rotating light	•				•				•				•					•			
Blue light spot	•				•				•				•					•			
Silent Kit				•																	
Ergo Kit			•				•		•	•	•	•									
Side broom																					
All-wheel drive / incline kit																					•
Spray gun											•	•									•
Technical data																					
Theoretical area performance	3960 m ² /h	5040 m ² /h	5950 m ² /h	9180 m ² /h	9180 m ² /h																
Total height	117 cm	126 cm	133 cm	145 cm	145 cm																
Total length	138 cm	149 cm	149 cm	199 cm	199 cm																
Total width	68 cm	88 cm	88 cm	112 cm	112 cm																
Vacuum	110 mbar	110 mbar	168 mbar	230 mbar	230 mbar																
Airflow rate	32 l/s	32 l/s	30 l/s	32 l/s	32 l/s																
Suction turbine output	400 W	540 W	540 W	620 W	620 W																
Working width	66 cm	85 cm	85 cm	102 cm	102 cm																
Brush speed	180 1/min	180 1/min	180 1/min	180 1/min	500 1/min																
Brush motor output	2 x 550 W	2 x 550 W	2 x 800 W	2x 750 W	2x 600 W																
Suction width	85 cm	98 cm	98 cm	120 cm	120 cm																
Fresh water tank	70 l	120 l	140 l	200 l	200 l																
Waste water tank	80 l	140 l	150 l	220 l	220 l																
Noise level	63 / 59 dB(A)	63 / 59 dB(A)	64 dB(A)	62 / 60 dB(A)	62 / 60 dB(A)																
Number of brushes	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.																
Brush pressure	30 kg	36 kg	45 / 75 kg	30-90 kg	30-90 kg																
Weight (excl. batteries)	187 kg	209 kg	295 kg	485 kg	485 kg																
Battery life	up to 5,2 h	up to 7,4 h	up to 7,4 h	up to 4,0 h	up to 4,0 h																
Forward speed	0-7 km/h	0-7 km/h	0-7 km/h	0-9 km/h	0-9 km/h																
Reversing speed	0-2,5 km/h	0-3,5 km/h	0-2,8 km/h	0-4,5 km/h	0-4,5 km/h																
Max. incline	12 %	10 %	10 %	max. 20 % (Power & Pro)	max. 20 % (Power & Pro)																



The right machine for every environment

Tailored to your requirements

Production halls, public buildings or event venues each require specific solutions. The Drivematic family has proven itself across a wide range of applications and supports efficient cleaning processes in daily operations.

Productivity in daily operations

When machine, area and workflows fit together

In professional facility management, it is not only performance that matters, but above all smooth processes. Cleaning machines must match the area, the degree of soiling and the operational workflows. The Drivematic family supports efficient day-to-day operations through well-designed construction, high reliability and ergonomic operation.



Industry and production

Large areas, heavy use and high levels of dirt require robust technology and consistent performance. The Drivematic models ensure reliable cleaning even in multi-shift operations.

Public spaces and communities

Cleaning during ongoing operations requires machines that are quiet, manoeuvrable and safe. The Drivematic family supports efficient workflows without disrupting employees or visitors.

Venues and leisure areas

Changing requirements and high frequency demand flexible and powerful solutions. The Drivematic models enable fast cleaning even within tight time windows.

What matters in daily operations:

- **The right performance dimension**
Clearly defined performance levels prevent over- or under-dimensioning and provide investment security.
- **Reliability in continuous use**
Robust technology and a clear system architecture support consistent operational readiness.
- **Continuous workflows**
Generous tank capacities and well-thought-out design reduce interruptions in the cleaning process.
- **Operating comfort in the context of the application**
Depending on the model, equipment and comfort features are tailored to the size of the area and the duration of use. This creates a balanced relationship between productivity and ease of handling.



As area size increases, operating times become longer and productivity requirements grow, the choice within the Drivematic family shifts accordingly.