



W 100 F

Milling width	1,000 mm
Milling depth	0 - 330 mm
Engine power	261 kW / 350 HP / 355 PS
Operating weight, CE*	19,700 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 100 Fi

Milling width	1,000 mm
Milling depth	0 - 330 mm
Engine power	265 kW / 355 HP / 360 PS
Operating weight, CE*	20,000 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f



W 120 F

Milling width	1,200 mm
Milling depth	0 - 330 mm
Engine power	261 kW / 350 HP / 355 PS
Operating weight, CE*	20,700 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 120 Fi

Milling width	1,200 mm
Milling depth	0 - 330 mm
Engine power	265 kW / 355 HP / 360 PS
Operating weight, CE*	21,000 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f

* Machine weight, half the weight of all operating agents, tools, machine operator, excluding optional equipment



W 120 FTi (USA only)

Milling width	1,200 mm
Milling depth	0 - 330 mm
Engine power	265 kW / 355 HP / 360 PS
Operating weight, CE*	21,000 kg
Exhaust emission standard	US EPA Tier 4f



W 130 F

Milling width	1,300 mm
Milling depth	0 - 300 mm
Engine power	261 kW / 350 HP / 355 PS
Operating weight, CE*	21,100 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 130 Fi

Milling width	1,300 mm
Milling depth	0 - 330 mm
Engine power	265 kW / 355 HP / 360 PS
Operating weight, CE*	21,400 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f



W 125 CF

Milling width	1,200 mm
Milling depth	0 - 330 mm
Engine power	276 kW / 370 HP / 375 PS
Operating weight, CE*	21,150 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3 / CN Stage 3



W 125 CFi

Milling width	1,200 mm
Milling depth	0 - 330 mm
Engine power	292 kW / 392 HP / 397 PS
Operating weight, CE*	21,400 kg
Exhaust emission standard	CN NR Stage 4



W 155 CF

Milling width	1,500 mm
Milling depth	0 - 330 mm
Engine power	276 kW / 370 HP / 375 PS
Operating weight, CE*	20,650 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3 / CN Stage 3



W 155 CFi

Milling width	1,500 mm
Milling depth	0 - 330 mm
Engine power	292 kW / 392 HP / 397 PS
Operating weight, CE*	20,900 kg
Exhaust emission standard	CN NR Stage 4



W 185 CF

Milling width	1,900 mm
Milling depth	0 - 330 mm
Engine power	276 kW / 370 HP / 375 PS
Operating weight, CE*	21,000 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3 / CN Stage 3

* Machine weight, half the weight of all operating agents, tools, machine operator, excluding optional equipment



W 185 CFi

Milling width	1,900 mm
Milling depth	0 - 330 mm
Engine power	292 kW / 392 HP / 397 PS
Operating weight, CE*	21,250 kg
Exhaust emission standard	CN NR Stage 4



W 150 CF

Milling width	1,500 mm
Milling depth	0 - 300 mm
Engine power	276 kW / 370 HP / 375 PS
Operating weight, CE*	20,550 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 150 CFi

Milling width	1,500 mm
Milling depth	0 - 330 mm
Engine power	298 kW / 400 HP / 405 PS
Operating weight, CE*	20,850 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f



W 150 XFi

Milling width	1,500 mm
Milling depth	0 - 330 mm
Engine power	298 kW / 400 HP / 405 PS
Operating weight, CE*	20,850 kg
Exhaust emission standard	US EPA Tier 4f