



W 35 Ri

Milling width	350 mm
Milling depth	0 - 110 mm
Engine power	45 kW / 60 HP / 61 PS
Operating weight, CE*	4,650 kg
Exhaust emission standard	EU Stage 5



W 35 XRi (USA only)

Milling width	350 mm
Milling depth	0 - 110 mm
Engine power	45 kW / 60 HP / 61 PS
Operating weight, CE*	4,650 kg
Exhaust emission standard	US EPA Tier 4f



W 50 R

Milling width	500 mm
Milling depth	0 - 210 mm
Engine power	100 kW / 134 HP / 136 PS
Operating weight, CE*	6,950 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 50 Ri

Milling width	500 mm
Milling depth	0 - 210 mm
Engine power	105 kW / 141 HP / 143 PS
Operating weight, CE*	6,950 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f

* Machine weight, half the weight of all operating agents, tools, machine operator, excluding optional equipment



W 60 R

Milling width	600 mm
Milling depth	0 - 210 mm
Engine power	100 kW / 134 HP / 136 PS
Operating weight, CE*	7,450 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 60 Ri

Milling width	600 mm
Milling depth	0 - 210 mm
Engine power	105 kW / 141 HP / 143 PS
Operating weight, CE*	7,450 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f



W 50 HR

Milling width	500 mm
Milling depth	0 - 180 mm
Engine power	86 kW / 115 HP / 117 PS
Operating weight, CE*	5,750 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3, CN Stage 3



W 50 HRi

Milling width	500 mm
Milling depth	0 - 180 mm
Engine power	89 kW / 119HP / 121 PS
Operating weight, CE*	5,850 kg
Exhaust emission standard	CN NR Stage 4



W 55 HR

Milling width	500 mm
Milling depth	0 - 180 mm
Engine power	86 kW / 115 HP / 117 PS
Operating weight, CE*	6,800 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3, CN Stage 3



W 55 HRi

Milling width	500 mm
Milling depth	0 - 180 mm
Engine power	89 kW / 119HP / 121 PS
Operating weight, CE*	6,900 kg
Exhaust emission standard	CN NR Stage 4



W 100 R

Milling width	1,000 mm
Milling depth	0 - 300 mm
Engine power	155 kW / 208 HP / 211 PS
Operating weight, CE*	14,650 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3



W 100 Ri

Milling width	1,000 mm
Milling depth	0 - 300 mm
Engine power	160 kW / 215 HP / 218 PS
Operating weight, CE*	14,750 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f

* Machine weight, half the weight of all operating agents, tools, machine operator, excluding optional equipment




W 120 R

Milling width	1,200 mm
Milling depth	0 - 300 mm
Engine power	155 kW / 208 HP / 211 PS
Operating weight, CE*	15,300 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3




W 120 Ri

Milling width	1,200 mm
Milling depth	0 - 300 mm
Engine power	160 kW / 215 HP / 218 PS
Operating weight, CE*	15,400 kg
Exhaust emission standard	EU Stage 5 / US EPA Tier 4f



W 100 HR

Milling width	1,000 mm
Milling depth	0 - 200 mm
Engine power	155 kW / 208 HP / 211 PS
Operating weight, CE*	13,600 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3, CN Stage 3



W 100 HRi

Milling width	1,000 mm
Milling depth	0 - 200 mm
Engine power	162 kW / 217HP / 220 PS
Operating weight, CE*	13,900 kg
Exhaust emission standard	CN NR Stage 4



W 130 HR	
Milling width	1,300 mm
Milling depth	0 - 200 mm
Engine power	155 kW / 208 HP / 211 PS
Operating weight, CE*	14,100 kg
Exhaust emission standard	EU Stage 3a / US EPA Tier 3, CN Stage 3



W 130 HRi	
Milling width	1,300 mm
Milling depth	0 - 200 mm
Engine power	162 kW / 217HP / 220 PS
Operating weight, CE*	14,400 kg
Exhaust emission standard	CN NR Stage 4

* Machine weight, half the weight of all operating agents, tools, machine operator, excluding optional equipment